

Alcohol Survey



Alcohol Survey

1. Alcohol is a factor in about one half of all highway fatalities.
 - True
2. Drinking experience will affect your BAC level.
 - False
3. The most commonly used type of chemical test for BAC level uses a sample of a person's blood.
 - False

Alcohol Survey

4. To quickly lower the amount of alcohol in your blood stream, drink a cup of hot coffee or take a short cold shower.

■ False

5. The time it takes for the body of an average 150 lb. person to get rid of the alcohol found in 2 bottles of beer (12 oz. each) is approximately 2 hrs.

■ True

Alcohol Survey

6. Eating foods like pasta or bread about 1 hour before drinking can slow the effects of the alcohol.

■ True

7. A person weighing 110 lb. and one weighing 200 lb. will reach the same BAC level by drinking the same amount of alcohol.

■ False

Alcohol Survey

8. A person drinking 3 beers (12 oz. each) in an hour will get as drunk as a person of equal weight drinking 3 shots of 80 proof whiskey in an hour.

■ True

9. Alcohol starts to be absorbed into the blood stream almost immediately.

■ True

10. Alcohol is physiologically a depressant.

■ True

Alcohol Survey

11. People, in their actions, respond differently to the same amount of alcohol.

■ True

12. Teenagers can be found guilty of DUI at a BAC level of .02% in Washington.

■ True

13. All mixed drinks contain the same amount of alcohol.

■ False

Alcohol Survey

14. Alcohol first affects the part of the brain that controls your decision making abilities.

■ True

15. After a drink your BAC level will first rise.

■ True

Alcohol Survey

16. The risk of having a collision at a BAC level of 0.10% is more than 7 times greater than a person who has not been drinking.

■ True

17. Adult drivers, with a BAC level of .08%, are legally intoxicated in Washington.

■ True

Alcohol Survey

18. You could lose your driver's permit if you are convicted of any drug or alcohol violation, including minor in possession, even if you are not driving a vehicle.

- True


Alcohol Survey

19. Fatigue will cause alcohol to be absorbed into the bloodstream at a faster rate.

■ False

20. Controlling the rate at which you drink means you can have 3 drinks per hour.

■ False



Alcohol Survey